


Second Edition

**Eastern
Economy
Edition**

**Fundamentals of
INTERNAL
COMBUSTION
ENGINES**



H.N. Gupta

FUNDAMENTALS OF INTERNAL COMBUSTION ENGINES

SECOND EDITION

H.N. GUPTA

Professor of Mechanical Engineering
Indian Institute of Technology
(Banaras Hindu University)
Varanasi

PHI Learning Private Limited

Delhi-110092

2013

FUNDAMENTALS OF INTERNAL COMBUSTION ENGINES, Second Edition

H.N. Gupta

© 2013 by PHI Learning Private Limited, Delhi. All rights reserved. No part of this book may be reproduced in any form, by mimeograph or any other means, without permission in writing from the publisher.

ISBN-978-81-203-4680-2

The export rights of this book are vested solely with the publisher.

Fifth Printing (Second Edition) January, 2013

Published by Asoke K. Ghosh, PHI Learning Private Limited, Rimjhim House, 111, Patparganj Industrial Estate, Delhi-110092 and Printed by Rajkamal Electric Press, Plot No. 2, Phase IV, HSIDC, Kundli-131028, Sonapat, Haryana.

Contents

Preface xvii

| | |
|---|-------------|
| 1. Introduction to Internal Combustion Engines | 1–50 |
| 1.1 An Overview | 1 |
| 1.2 Historical Development | 2 |
| 1.3 Modern Developments | 3 |
| 1.4 Engine Classifications | 4 |
| 1.5 Classification of Reciprocating Engines by Application | 6 |
| 1.6 Classifications of Engines by Cylinder Arrangement | 6 |
| 1.7 Engine Components | 9 |
| 1.8 Basic Terminology | 14 |
| 1.9 Four-stroke Spark-ignition Engine | 15 |
| 1.10 Valve-timing of Four-stroke SI Engine | 17 |
| 1.10.1 Inlet Valve | 18 |
| 1.10.2 Exhaust Valve | 18 |
| 1.11 Four-stroke Compression Ignition (CI) Engines | 19 |
| 1.12 Comparison of SI and CI Engines | 20 |
| 1.13 Two-stroke Engines | 21 |
| 1.14 Comparison of Four-stroke and Two-stroke Engines | 23 |
| 1.15 Geometry of Reciprocating Engine | 24 |
| 1.16 Engine Performance Parameters | 27 |
| 1.16.1 Fuel Power | 27 |
| 1.16.2 Indicated Power (ip) | 27 |
| 1.16.3 Brake Power (bp) | 28 |
| 1.16.4 Friction Power (fp) | 29 |
| 1.16.5 Indicated Thermal Efficiency (η_i) | 29 |
| 1.16.6 Brake Thermal Efficiency (η_b) | 29 |
| 1.16.7 Mechanical Efficiency (η_m) | 29 |
| 1.16.8 Combustion Efficiency (η_c) | 30 |
| 1.16.9 Relative Efficiency or Efficiency Ratio (η_{rel}) | 30 |
| 1.16.10 Volumetric Efficiency (η_v) | 30 |
| 1.16.11 Indicated Mean Effective Pressure (imep or p_{m_i}) | 31 |

| | | |
|-----------|--|----------------|
| 1.16.12 | Brake Mean Effective Pressure (bmep or p_{m_b}) | 31 |
| 1.16.13 | Specific Fuel Consumption (sfc) | 32 |
| 1.16.14 | Specific Power, Output per Displacement, Engine Specific Volume and Engine Specific Weight | 33 |
| 1.16.15 | Air/Fuel and Fuel/Air Ratios | 33 |
| | <i>Review Questions</i> | 47 |
| | <i>Problems</i> | 48 |
| 2. | Air-Standard Cycles and Their Analysis | 51–109 |
| 2.1 | Introduction | 51 |
| 2.2 | Air-standard Cycle | 51 |
| 2.3 | Carnot Cycle | 52 |
| 2.4 | Stirling Cycle | 55 |
| 2.5 | Ericsson Cycle | 57 |
| 2.6 | Lenoir Cycle | 59 |
| 2.7 | Otto Cycle or Constant Volume Cycle | 61 |
| 2.8 | Diesel Cycle | 65 |
| 2.9 | Dual Combustion Cycle | 68 |
| 2.10 | Comparison of Otto, Diesel and Dual Combustion Cycles | 71 |
| 2.11 | Atkinson Cycle | 75 |
| 2.12 | Miller Cycle | 78 |
| 2.13 | Brayton Cycle | 81 |
| | <i>Review Questions</i> | 106 |
| | <i>Problems</i> | 107 |
| 3. | Reactive Systems | 110–153 |
| 3.1 | Introduction | 110 |
| 3.2 | Properties of Air | 110 |
| 3.3 | Combustion with Air | 111 |
| 3.4 | Equivalence Ratio | 113 |
| 3.5 | Enthalpy of Formation | 122 |
| 3.6 | First Law Analysis for Steady-State Reacting Systems | 123 |
| 3.7 | Enthalpy of Combustion, Internal Energy of Combustion and Heating Values | 128 |
| 3.8 | Adiabatic Combustion Temperature | 134 |
| 3.9 | Dissociation | 141 |
| 3.10 | Chemical Equilibrium | 143 |
| | <i>Review Questions</i> | 150 |
| | <i>Problems</i> | 151 |
| 4. | Fuel-Air Cycles and Their Analysis | 154–193 |
| 4.1 | Introduction | 154 |
| 4.2 | Fuel-Air Cycle | 154 |
| 4.3 | Factors Affecting the Fuel-Air Cycle | 155 |
| 4.3.1 | Composition of Cylinder Gases | 155 |
| 4.3.2 | Variation of Specific Heats | 156 |

| | | | |
|-----------|--|-----|----------------|
| 4.3.3 | Effect of Dissociation | 158 | |
| 4.3.4 | Effect of Number of Molecules | 160 | |
| 4.4 | Effect of Engine Variables on the Performance of Fuel-Air Cycles | 161 | |
| 4.5 | Equilibrium Charts | 176 | |
| 4.5.1 | Unburned Mixture Charts | 176 | |
| 4.5.2 | Burned Mixture Charts | 184 | |
| 4.5.3 | Relation between Unburned and Burned Mixtures | 186 | |
| | <i>Review Questions</i> | 191 | |
| | <i>Problems</i> | 192 | |
| 5. | The Actual Cycle | | 194–208 |
| 5.1 | Introduction | 194 | |
| 5.2 | Difference between the Actual cycle and the Fuel-Air Cycle | 194 | |
| 5.2.1 | Leakage | 195 | |
| 5.2.2 | Imperfect Mixing of Fuel and Air | 195 | |
| 5.2.3 | Progressive Burning | 196 | |
| 5.2.4 | Burning Time Losses | 196 | |
| 5.2.5 | Heat Losses to the Cylinder Walls | 197 | |
| 5.2.6 | Exhaust Blowdown Loss | 197 | |
| 5.2.7 | Fluid Friction | 199 | |
| 5.2.8 | Gas Exchange or Pumping Loss | 199 | |
| 5.3 | Effect of Engine Variables on Flame Speed | 199 | |
| 5.3.1 | Fuel/Air Ratio | 200 | |
| 5.3.2 | Inlet Pressure | 200 | |
| 5.3.3 | Engine Speed | 200 | |
| 5.3.4 | Engine Size | 200 | |
| 5.3.5 | Residual Gas | 201 | |
| 5.4 | Effect of Spark-Timing on the Actual Cycle of SI Engines | 201 | |
| 5.5 | Power and Efficiency of the Actual Cycle | 204 | |
| 5.5.1 | Effect of Compression Ratio | 204 | |
| 5.5.2 | Effect of Fuel/Air Ratio | 205 | |
| 5.6 | Frictional Losses | 205 | |
| 5.7 | The Actual Cycle of Compression-ignition Engines | 206 | |
| 5.8 | Actual and Fuel-Air Cycles of CI Engines | 207 | |
| | <i>Review Questions</i> | 208 | |
| 6. | Combustion in Spark-Ignition Engines | | 209–253 |
| 6.1 | Introduction | 209 | |
| 6.2 | Normal Combustion | 209 | |
| 6.2.1 | Stages of Combustion in SI Engine | 210 | |
| 6.2.2 | Flame Speed Pattern | 212 | |
| 6.2.3 | Finite Heat Release Model for Combustion Process of SI Engine | 213 | |
| 6.2.4 | Pressure and Temperature Variation as a Function of Crank Angle | 215 | |
| 6.2.5 | Effect of Spark Timing on Indicator Diagram | 216 | |
| 6.2.6 | Effect of Fuel/Air Ratio on Indicator Diagram | 216 | |

| | | |
|--------|--|-----|
| 6.3 | Factors Affecting Ignition Lag | 217 |
| 6.3.1 | Nature of Fuel and Air/Fuel Ratio | 217 |
| 6.3.2 | Initial Temperature and Pressure | 218 |
| 6.3.3 | Compression Ratio | 218 |
| 6.3.4 | Spark Timing | 218 |
| 6.3.5 | Turbulence and Engine Speed | 218 |
| 6.3.6 | Electrode Gap of Spark Plug | 218 |
| 6.4 | Factors Affecting Combustion in Spark-ignition Engines | 219 |
| 6.4.1 | Composition of the Mixture | 219 |
| 6.4.2 | Load | 219 |
| 6.4.3 | Compression Ratio | 219 |
| 6.4.4 | Speed | 220 |
| 6.4.5 | Turbulence and Shape of Combustion Chamber | 220 |
| 6.4.6 | Spark Plug Position | 221 |
| 6.5 | Cyclic Variation | 221 |
| 6.6 | Rate of Pressure Rise | 222 |
| 6.7 | Abnormal Combustion—Autoignition and Detonation | 223 |
| 6.8 | Detrimental Effects of Knocking | 224 |
| 6.9 | Theories of Knocking | 225 |
| 6.10 | Effect of Engine Variables on Knock | 226 |
| 6.10.1 | Temperature, Pressure and Density Factors | 226 |
| 6.10.2 | Time Factors | 228 |
| 6.10.3 | Composition Factors | 229 |
| 6.10.4 | Effect of Design | 231 |
| 6.11 | Detection of Knocking | 232 |
| 6.12 | Uncontrolled Combustion | 233 |
| 6.12.1 | Preignition | 233 |
| 6.12.2 | Run-on Surface Ignition | 234 |
| 6.12.3 | Run-away Surface Ignition | 234 |
| 6.12.4 | Wild Ping | 234 |
| 6.12.5 | Rumble | 234 |
| 6.13 | Combustion Chambers for Spark-ignition Engines | 235 |
| 6.13.1 | Basic Requirements of a Good Combustion Chamber | 236 |
| 6.14 | Combustion Chamber Design Principles | 237 |
| 6.15 | Combustion Chamber Optimization Procedure | 238 |
| 6.15.1 | Geometric Considerations | 238 |
| 6.15.2 | Considerations for Cyclic Variations | 238 |
| 6.15.3 | Consideration for Proper Turbulence | 239 |
| 6.16 | Types of Combustion Chamber | 239 |
| 6.16.1 | T-head Type Combustion Chamber | 239 |
| 6.16.2 | L-head Type or Side Valve Combustion Chamber | 239 |
| 6.16.3 | Ricardo Turbulent Head Side Valve Combustion Chamber | 240 |
| 6.16.4 | Overhead-valve or I-head Type Combustion Chamber | 242 |
| 6.16.5 | F-head Type Combustion Chamber | 243 |
| 6.16.6 | Hemispherical Combustion Chamber | 243 |
| 6.16.7 | Piston Cavity Combustion Chamber | 244 |

| | | |
|-----------|--|----------------|
| 6.16.8 | Combustion Chamber with a Pre-chamber for Lean Burn Engine | 245 |
| 6.16.9 | Future Trends | 246 |
| 6.17 | Octane Requirement | 246 |
| | <i>Review Questions</i> | 250 |
| | <i>Problems</i> | 253 |
| 7. | Combustion in Compression-Ignition Engines | 254–283 |
| 7.1 | Introduction | 254 |
| 7.2 | Air Motion in CI Engines | 255 |
| 7.3 | Spray Structure | 256 |
| 7.4 | Stages of Combustion | 259 |
| 7.5 | Heat Release Rate | 261 |
| 7.6 | Air/Fuel Ratio in CI Engines | 262 |
| 7.7 | Influence of Various Factors on Delay Period | 263 |
| 7.8 | Combustion Knock in CI Engines | 267 |
| 7.9 | Comparison of Knock in SI and CI Engines | 270 |
| 7.10 | Methods of Controlling Knock in CI Engines | 271 |
| 7.11 | Combustion Chamber for CI Engines | 272 |
| 7.11.1 | Combustion Chamber Characteristics | 272 |
| 7.11.2 | Classification of CI Engine Combustion Chambers | 272 |
| 7.12 | Direct Injection (DI) Engines or Open combustion Chamber Engines | 273 |
| 7.12.1 | Semiquiescent or Low Swirl Open Chamber | 273 |
| 7.12.2 | Medium Swirl Open Chamber | 274 |
| 7.12.3 | High Swirl Open Chamber ('M' type) | 274 |
| 7.13 | Indirect-Injection (IDI) Engines or Divided Combustion Chamber Engines | 275 |
| 7.13.1 | Swirl or Turbulent Chamber | 275 |
| 7.13.2 | Precombustion Chamber | 277 |
| 7.13.3 | Air Cells | 277 |
| 7.13.4 | Energy Cells | 278 |
| 7.14 | Comparison of Characteristics of Combustion Chambers of CI Engine | 279 |
| 7.15 | Starting Methods and Aids | 279 |
| | <i>Review Questions</i> | 282 |
| 8. | Fuels for Internal Combustion Engines | 284–317 |
| 8.1 | Introduction | 284 |
| 8.2 | Classification of Fuels | 284 |
| 8.3 | Solid Fuels | 285 |
| 8.3.1 | Brief Description of Solid Fuels | 285 |
| 8.3.2 | Use of Solid Fuels in IC Engines | 286 |
| 8.4 | Liquid Fuels | 286 |
| 8.4.1 | Petroleum Fuels (Petra = rock + oleum = oil) | 286 |
| 8.4.2 | Refining Process of Petroleum | 289 |
| 8.4.3 | Petroleum-based Liquid Fuels | 291 |
| 8.5 | Liquid Alternative Fuels | 292 |
| 8.5.1 | Benzol | 292 |
| 8.5.2 | Alcohol | 292 |

| | | |
|-------|---|-----|
| 8.5.3 | Biodiesel | 293 |
| 8.5.4 | Emulsified Diesel Fuel | 294 |
| 8.5.5 | Acetone | 294 |
| 8.5.6 | Diethyl Ether | 294 |
| 8.5.7 | Vegetable Oils | 294 |
| 8.6 | Gaseous Alternative Fuels | 295 |
| 8.6.1 | Natural Gas | 295 |
| 8.6.2 | Liquified Petroleum Gas (LPG) | 295 |
| 8.6.3 | Producer Gas | 296 |
| 8.6.4 | Coal Gas | 296 |
| 8.6.5 | Hydrogen | 296 |
| 8.6.6 | Hythane | 297 |
| 8.6.7 | Dimethyl Ether | 298 |
| 8.6.8 | Biogas | 298 |
| 8.7 | Characteristics of SI Engine Fuels | 298 |
| 8.7.1 | Volatility of Liquid Fuels | 299 |
| 8.7.2 | Effect of Volatility on the Performance of SI Engines | 301 |
| 8.7.3 | Sulphur Content | 304 |
| 8.7.4 | Gum Deposits | 304 |
| 8.7.5 | Carburettor Detergent Additives | 304 |
| 8.7.6 | Anti-knock Quality | 304 |
| 8.8 | Characteristics of CI Engine Fuels | 305 |
| 8.8.1 | Ignition Quality | 305 |
| 8.8.2 | Volatility | 306 |
| 8.8.3 | Viscosity | 306 |
| 8.8.4 | Specific Gravity | 307 |
| 8.8.5 | Corrosion and Wear | 308 |
| 8.8.6 | Handling Ease | 309 |
| 8.8.7 | Safety | 309 |
| 8.8.8 | Cleanliness | 309 |
| 8.9 | Knock Rating of Fuels | 310 |
| 8.9.1 | Knock Rating of SI Engine Fuels | 310 |
| 8.9.2 | Knock Rating of CI Engine Fuels | 313 |

Review Questions 315

9. Carburettors and Fuel Injection in SI Engines 318–369

| | | |
|-------|--|-----|
| 9.1 | Introduction | 318 |
| 9.2 | Limits of Flammability | 318 |
| 9.3 | Steady-running Mixture Requirements | 319 |
| 9.3.1 | Mixture Requirements for Maximum Power | 319 |
| 9.3.2 | Mixture Requirements for Minimum Specific Fuel Consumption | 320 |
| 9.3.3 | Mixture Requirements for Various Outputs | 320 |
| 9.3.4 | Mixture Requirements for Idling, Cruising and High Power | 321 |
| 9.4 | Transient Requirements | 323 |
| 9.4.1 | Starting and Warm-up Requirements | 323 |
| 9.4.2 | Acceleration Requirement | 323 |
| 9.5 | Mixture Requirements in a Multi-cylinder Engine | 323 |

| | | |
|--------|--|-----|
| 9.6 | Carburettor Requirements | 324 |
| 9.7 | A Simple Carburettor | 324 |
| 9.8 | Calculation of the Air/Fuel Ratio for a Simple Carburettor | 326 |
| 9.9 | Air/Fuel Ratio Neglecting the Compressibility of Air | 328 |
| 9.10 | Comments on Air/Fuel Ratio Supplied by a Simple Carburettor | 329 |
| 9.11 | Deficiencies of the Elementary Carburettor | 330 |
| 9.12 | Essential Parts of a Modern Carburettor | 330 |
| 9.12.1 | Choke | 330 |
| 9.12.2 | Main Metering System | 331 |
| 9.12.3 | Idling System | 334 |
| 9.12.4 | Accelerating System | 336 |
| 9.12.5 | Economizer System and Power System | 336 |
| 9.12.6 | Antipercolator Valve | 337 |
| 9.13 | Types of Carburettors | 337 |
| 9.13.1 | Down-draught, Up-draught and Horizontal-draught Carburettors | 337 |
| 9.13.2 | Concentric and Eccentric Carburettors | 338 |
| 9.13.3 | Multi-venturi Carburettor | 339 |
| 9.14 | Problems Associated with Carburettors | 352 |
| 9.14.1 | Ice Formation | 352 |
| 9.14.2 | Vapour Lock in Fuel Systems | 352 |
| 9.14.3 | Backfiring or Popping in the Carburettor | 353 |
| 9.15 | Carburettor Drawbacks | 353 |
| 9.16 | Fuel-Injection Systems in SI Engines | 353 |
| 9.16.1 | Single-Point Injection (SPI) | 354 |
| 9.16.2 | Multi-Point Fuel Injection | 355 |
| 9.16.3 | Continuous Injection System | 355 |
| 9.16.4 | Timed Injection System (TIS) | 355 |
| 9.16.5 | Direct Injection | 356 |
| 9.17 | Mechanical Fuel-Injection Systems | 356 |
| 9.17.1 | Continuous Injection System with Mechanical Control | 356 |
| 9.17.2 | Timed Injection System with Mechanical Control | 357 |
| 9.18 | Electronic Fuel-Injection Systems (EFIs) | 359 |
| 9.18.1 | Single-point Throttle Body Injection with Electronic Control | 359 |
| 9.18.2 | Multi-point Port Injection with Electronic Control | 359 |
| 9.19 | Advantages of the Multi-point Fuel-injection System | 362 |
| 9.20 | Disadvantages of the Multi-point Fuel-injection System | 363 |
| 9.21 | Gasoline Direct Injection | 364 |
| | <i>Review Questions</i> | 367 |
| | <i>Problems</i> | 368 |

10. CI Engines: Fuel-Injection System

370–410

| | | |
|--------|-----------------------------------|-----|
| 10.1 | Introduction | 370 |
| 10.2 | Requirements of Injection Systems | 370 |
| 10.3 | Injection Systems | 371 |
| 10.3.1 | Air-injection System | 371 |
| 10.3.2 | Airless-or Solid-injection System | 372 |

Fundamentals Of Internal Combustion Engines



Publisher : PHI Learning

ISBN : 9788120346802

Author : GUPTA, H. N.

Type the URL : <http://www.kopykitab.com/product/7554>



Get this eBook